Application No.	Applicant(s)
	SWAYZE ET AL.  Art Unit
LAMINIO	Art office
Brian Nash	3721
GHTS. This application is subject to	
1. This communication is responsive to <u>RCE filed 7/25/2005</u> .	
2. The allowed claim(s) is/are <u>1-4,6,9-14,16-18 and 20-22</u> .	
3. The drawings filed on 23 February 2004 are accepted by the Examiner.	
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.	
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>	
6. ☐ Interview Summary Paper No./Mail Dat B), 7. ☑ Examiner's Amendr	Patent Application (PTO-152) (PTO-413), te ment/Comment ent of Reasons for Allowance
	ars on the cover sheet with the coordinates of the appropriate communication and MPEP 1308.  Be Examiner.  Ger 35 U.S.C. § 119(a)-(d) or (f).  Been received.  Been received in Application No  uments have been received in this  of this communication to file a reply ENT of this application.  Itted. Note the attached EXAMINER is reason(s) why the oath or declarates be submitted.  On's Patent Drawing Review (PTO-Amendment / Comment or in the Comment of

Application/Control Number: 10/673,662 Page 2

Art Unit: 3721

## **DETAILED ACTION**

## Examiner's Comments

1. This action is in response to applicant's request for continued examination received 7/25/2005. Applicant amended claims 1, 6, 9-14, 16, 19, cancelled claims 5, 7-8, 15 and added new claims 20-22. The pending claims are now 1-4, 6, 9-14 and 16-22.

## Examiner's Amendment

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Franklin at 513-651-6856 on 8/22/2005.

The application has been amended as follows:

Claim 19 was cancelled.

## Reasons For Allowance

3. The following is an examiner's statement of reasons for allowance: The prior art of record fails to anticipate or show in combination a surgical instrument comprising an end effector, a firing member, a firing control configured for manual movement in a firing direction and in an opposite return direction, a firing mechanism comprising an axle passing through the

Application/Control Number: 10/673,662

Art Unit: 3721

firing control, an engagement member configured to rotate about the axle into engagement with

the firing member, and a biasing wheel attached to the axle; and a handle housing including a

friction surface attached thereto and laterally aligned to contact the biasing wheel to effect

engagement of the engagement member to the firing member. All pending claims are now

allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Nash whose telephone number is 571-272-4465. The

examiner can normally be reached on Monday - Thursday from 8 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Rinaldi I. Rada can be reached at 571-272-4467.

The official fax number for this Group is:

571-273-8300

Brian Nash 8/29/2005

> SCOTT A. SMITH PRIMARY EXAMINER